



Aluna series

Designed by Quaglio Simonelli, France

The designer behind Quaglio Simonelli created the Aluna lamp series with an architectural eye for detail. Drawing from the subtle interplay between lines, asymmetry and balance, Aluna's voluminous lampshade seems almost floating. The floor lamp and table lamp have a rotatable shade that adds functionality to the design. A design language that gives each lamp a playful yet classic expression.

Meet the designer

Quaglio Simonelli is a design duo comprised of two creative individuals, both born in Italy and now based in Paris. Thinking that diversification is a source of creative richness, we design technology products, furniture, lighting and decorative objects, conceive the visual identity and product design for beauty brands, alternating industrial logic with an artisanal approach. Our complementary sensibilities induce our designs with the creative gaze of two histories combined. Inspired by the world that surrounds us and by our own impacts and interpretations. We create design that appears familiar at first glance, but at the same time it's adorned with unexpected, almost poetic elements. Our philosophy is 'never see things as they are'.








Bolia-com

20-130-02

Aluna Floor Lamp



Specifications

Made in	Energy classification	Shade Width	Base width	Diameter	Width
China	E	38 cm	38 cm	38 cm	59 cm
Height	Cord	LED	Dimmable	Light source included	Burning hours
154.5 cm	3 m Creme Textile cord	Yes	No	Yes	30000 h
Lumen	Kelvin	Watt	Ra (CRI)	IP Rating	Classification
802 lm	2790 k	20 w	93 Ra (CRI)	20 IP	Class II
Switch position	Replaceable lightsource	The parcel's measurements			
On cord	Yes	The parcel's measurements 1: 0.16 m3, 15.0 kg (D 24.0 cm, W 48.0 cm, H 139.0 cm)			

Aluna Wall Lamp Ø25 cm



Energy classification

Shade Width 25 cm

Diameter Height 17 cm Cord 2.5 m

LED Yes Dimmable

Light source included

Burning hours

30000 h Lumen 482 lm Kelvin

2812 k Watt 8 w Ra (CRI) 92 Ra (CRI) IP Rating

Classification

Switch position On cord

Replaceable lightsource

20 IP

The parcel's measurements

The parcel's measurements 1: 0.03 m3, 3.0 kg (D 32.5 cm, W 32.5 cm, H 31.5 cm)

20-130-02

Aluna Floor Lamp



Energy classification

Shade Width 38 cm Base width 38 cm Diameter

38 cm Width 59 cm Height 154.5 cm Cord

3 m Creme Textile cord

LED Yes Dimmable No

Light source included

Yes

Burning hours 30000 h Lumen 802 lm Kelvin 2790 k Watt 20 w

93 Ra (CRI) IP Rating 20 IP Classification Class II

Ra (CRI)

Switch position On cord

Replaceable lightsource


Yes

The parcel's measurements

The parcel's measurements 1: 0.16 m3, 15.0 kg (D 24.0 cm, W 48.0 cm, H 139.0 cm)

20-130-01

Aluna Table Lamp



Shade Width

20 cm

Diameter 27 cm Width

27 cm Height 42.6 cm Cord

2.5 m Textile cord

No

Light source included

No

Lightsource E14 max 25W

Replaceable lightsource

The parcel's measurements

The parcel's measurements 1: 0.03 m3, 5.08 kg (D 31.0 cm, W 21.0 cm, H 46.0 cm)

20-130-04

Aluna Pendant Ø27 cm



Energy classification

LED

Shade Width 27 cm Diameter Height

12.4 cm 93 Ra (CRI) IP Rating 20 IP

Dimmable Classification No Class I

Replaceable lightsource Light source included

Lumen

482 lm

Kelvin

2812 k

Watt

Ra (CRI)

Ceiling cap dimensions 12.5 cm 2.5 cm

The parcel's measurements

The parcel's measurements 1: 0.02 m3, 3.5 kg (D 44.0 cm, W 31.0 cm, H 18.0 cm)

20-130-05

Aluna Pendant Ø38 cm



Burning hours

30000 h

Energy classification 802 lm Shade Width Kelvin 38 cm 2790 k Diameter Watt 38 cm 20 w Height Ra (CRI) 19.1 cm LED IP Rating

Yes Dimmable Νο Class I

Light source included Yes

Burning hours 30000 h

93 Ra (CRI) 20 IP Classification

Replaceable lightsource

Ceiling cap dimensions 12.5 cm 2,5 cm

The parcel's measurements

The parcel's measurements 1: 0.05 m3, 4.8 kg (D 44.0 cm, W 44.0 cm, H 25.0 cm)

20-130-06

Aluna Pendant Ø60 cm



Energy classification

Shade Width Lumen 60 cm 824 lm Kelvin Diameter 2730 k 60 cm Height Watt 27.6 cm 30 w Ra (CRI) 3 m Black Textile cord LED IP Rating

Yes 20 IP Dimmable Classification No Class I

Light source included

Burning hours 30000 h

93 Ra (CRI)

Replaceable lightsource

Ceiling cap dimensions 12.5 cm 2,5 cm

The parcel's measurements

The parcel's measurements 1: 0.13 m3, 8.7 kg (D 62.5 cm, W 63.5 cm, H 33.5 cm)

Materials and surfaces

