

Karri Monni | 2014





Dynamic and focused like a contemporary working day. With its backrest and height adjustment, the LAB stool has the "shape" to adapt to any needs in the office. A classic of industrial design, it features the latest colours and a modern profile.






S72 swivel and height-adjustable H47 ÷ 60

Stool with swivel seat and adjustable height with die-cast aluminium base, sandblasted or powder coated, and self-braking castors. Seat in MDF upholstered with fire-retardant polyurethane foam and covered with fabric, soft leather or eco-leather.

TEST 1 IM - Hallingdal





Karri Monni | 2014

frame



powder coating black



white 1 Colors



metal aluminium 1 Colors

upholstery

1 Colors



fabric Hallingdal 65 47 Colors



fabric Tonica 2







fabric Canvas 2 40 Colors



fabric Medley



fabric Steelcut 2 37 Colors



fabric Steelcut Trio 3 48 Colors



Maya 43 Colors





fabric

Remix 3

24 Colors

fabric

44 Colors

Jet



fabric Clara 2 24 Colors



fabric Lapalma Smart 18 Colors



ecoleather Valencia c5 59 Colors



fabric fabric Fiord 2 24 Colors 24 Colors



fabric Crisp Capture 43 Colors 40 Colors



Divina Melange 3 Divina MD 24 Colors







Nattè

consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.

use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.