

PC

DESIGN BY PIERRE CHARPIN



Pierre Charpin's PC Task Lights series is a collection of refined and precisely engineered task lamps designed to provide focused light where needed. The lamps are constructed in aluminium, with a subtle sheen finish. The functional design conceals gas springs that enable the arms and head to hold their position wherever they are moved, and it features an integrated-touch dimmer switch with a memory function that controls brightness levels and automatically turns off after five hours. The PC Task Lights are available in a variety of size and colour options and are suitable for both contract and domestic markets.

PRODUCT DETAILS

- / Part of a progressive and technologically advanced lighting collection.
- / A family of multifunctional task lamps that can be used free standing, desk, clamp and wall mounted.
- / CE approved.
- / Integrated LED module included with an estimated life span of 25.000 hours of use.
- / Stepless touch dimmer.
- / Concealed gas springs.
- / The lamp is suitable for both private and office environments.
- / Qualified for contract use.

HAY

MATERIAL

LAMP BODY / Extruded aluminium arms with die cast aluminium joints.

LAMP SHADE / Spun aluminum.

LAMP BASE / Injection moulded ABS cover with internal sand cast iron counter weight. Powder coated steel base with foam pad protector underneath.

Cord / Silicone cable.

COLOUR

Please note that the colour codes are indicative.

Available in 3 different colours.

/ Soft black (RAL 9004)

/ Ash grey (RAL 7035)

/ Leaf green* (Pantone 350C)

Note that fixings, gaskets, soft TPE components and the cable are black for all colour options.



SOFT BLACK

ASH GREY

LEAF GREEN

*PC Double Arm with table base is available in leaf green. Soft black and ash grey is available in all variants.


CONFIGURATIONS

	ARM	
BASE	DOUBLE ARM BODY	SINGLE ARM BODY
TABLE BASE	•	
CLAMP	•	•
WALL BRACKET	•	•
TABLE INSERT	•	

DIMENSIONS


DOUBLE ARM WITH TABLE BASE

WIDTH / 14 cm / 5.5"
DEPTH / 55 cm / 21.7"
HEIGHT / 42 cm / 16.5"




DOUBLE ARM WITH CLAMP

WIDTH / 14 cm / 5.5"
DEPTH / 55 cm / 21.7"
HEIGHT / 60,5 cm / 23.8"




DOUBLE ARM WITH WALL BRACKET

WIDTH / 14 cm / 5.5"
DEPTH / 55 cm / 21.7"
HEIGHT / 45 cm / 17.7"




DOUBLE ARM WITH TABLE INSERT

WIDTH / 14 cm / 5.5"
DEPTH / 55 cm / 21.7"
HEIGHT / 42,5 cm / 16.7"




SINGLE ARM WITH WALL BRACKET

WIDTH / 14 cm / 5.5"
DEPTH / 9 cm / 3.5"
HEIGHT / 61 cm / 24"



SINGLE ARM WITH CLAMP

WIDTH / 14 cm / 5.5"
DEPTH / 9 cm / 3.5"
HEIGHT / 62,7 cm / 24.7"



TECHNICAL SPECIFICATIONS

- / LIGHT SOURCE / Integrated LED
- / POWER / 5,7W
- / DIMMABLE / Yes
- / POWER SUPPLY / 220-240V AC at 50-60Hz
UK/EU plug mounted adapter
- / CORD LENGTH / 200 cm
- / SWITCH / Stepless touch dimmer

TEST SPECIFICATIONS*

- / FLUX (lumens) / 407lm
- / CCT & CRI / The levels will vary depending on the type of bulb used in the lamp.

*Photometrics and the specification shown is taken using the integrated LED light source fitted in the production luminaire.

CERTIFICATIONS


CE approved: This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

- / EN 55015:2013 (radio disturbance)
- / EN 61547:2009 (EMC immunity)
- / EN 61000-3-2:2014 (EMC compatibility)
- / EN 61000-3-3:2013 (EMC compatibility)
- / EN 60598-2-4:1997 (portable luminaires)
- / EN 60598-1:2015 (general requirements)
- / EN 62493:2010 (human exposure to EMC)

PHOTOMETRICS



DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance instructions, CE attestation of conformity certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[Link to downloads..](#)

HAY